

Candela Corporation
530 Boston Post Road
Wayland, Massachusetts 01778

Date of issue: February 9, 1999
Person to contact: Safety Officer
Telephone number for information: (508) 358-7637
FAX number for information: (508) 358-5602

ONLY IN THE EVENT OF A CHEMICAL EMERGENCY INVOLVING A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT, CONTACT:

CHEMTREC: UNITED STATES: 800-424-9300
INTERNATIONAL: 202-483-7616 (COLLECT)

I. Identification

- Product Name: Laser Dye Solvent
- CAT No: 7040-00-0210 (SPTL1 & 1A)
- CAT No: 7121-00-2860 (SPTL 1B, Sclero, Vbeam, Cbeam)
- CAT No: 7122-00-3219 (Vbeam)

II Product and Component Hazard Data

- Ethylene Glycol
- Water

III. Physical Data

- Appearance and Odor: Clear syrupy liquid, no odor.
- Boiling Point: 390°F.
- Vapor Pressure: 0.05 mm Hg.
- Specific Gravity: 1.1.
- Solubility in water: Complete

IV. Fire and Explosion Hazard Data

- Flash point: 230° F.
- Extinguishing Media: Water Spray, Dry Chemical, Carbon Dioxide.
- Special Fire Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.
- Unusual Fire and Explosion Hazards: Fire or excessive heat may produce hazardous decomposition products. Apply from as far a distance as possible. Avoid breathing vapors.

V. Reactivity Data

- Stability: Stable under normal temperatures and pressures.
- Incompatibility: Strong oxidizer.
- Hazardous Decomposition Products: Combustion will produce CO₂ and CO.
- Decomposition: May release toxic oxides of carbon.

- Incompatibilities: Perchloric Acid, Phosphorous Sulfide, Sulfuric Acid, Oleum, Chlorosulfonic Acid, and strong oxidants.

VI. Toxicity and Health Hazard Data

- Exposure Limits: Not established
- Exposure Effects: Not established
- Health Effects and First Aid:

Inhalation: Inhalation is unlikely at room temperature. Symptoms are headaches, cyanosis, vomiting, hypotension, amnesia and coma. Remove to fresh air. Treat symptomatically. If symptoms are present, get medical attention.

Skin: Liquid contact defats skin. Only minor skin irritation and penetration have been reported. Remove contaminated clothing and shoes immediately. Wash affected area with soap or mild detergent and large amounts of water. Get medical attention if unusual symptoms occur.

Eye contact: Liquid splashed in a human eye can cause inflammation of conjunctiva. Immediately flush the eyes with plenty of water for 15 minutes. Get medical attention if symptoms are present.

Ingestion: Initial symptoms are those of ethanol inebriation, followed by drunkenness, ataxia, vertigo, progressing to stupor and finally coma, possibly with transient convulsions.

If victim is conscious and not convulsive, immediately give 2 to 4 glasses of water and induce vomiting by touching finger to back of the throat. If breathing stops, give artificial respiration. Get medical attention immediately.

VII. Ventilation and Personal Protection

- Ventilation: Provide general dilution ventilation.
- Respiratory Protection: A NOISH approved respirator should be worn if needed.
- Skin and Eye Protection: Protective gloves should be worn. Safety glasses should be worn.

VIII. Special Storage and Handling Precautions

- Store in cool, dry, dark area. Keep from contact with oxidizing materials.

IX. Spill, Leak and Disposal Procedures

- Absorb spilled liquid with vermiculite, dry sand, earth, or similar material
- for disposal waste. Discharge treatment or disposal may be subject to federal,
- state or local laws.

Candela Corporation provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Candela shall not be held liable for any damage resulting from handling or from contact with the above product. Candela shall not be held liable for damages resulting from use of or reliance upon this information.